

Applicants: Richard Gerardus F. Visser and Jean-Paul Vincken
Serial No.: 10/009,876
Filed: May 6, 2002
Page 4 of 5

REMARKS

By this amendment, the specification has been amended to be consistent with the Drawings. Applicants maintain that the amendments do not raise an issue of new matter. Accordingly, entry of the amendment is respectfully requested.

Notice of Drawing Inconsistency with Specification

The attached Notice indicates that there was an inconsistency between the specification and the Drawings, specifically Figure 2B-2H was listed in the Brief Description of the Drawings in the specification but not contained in the Drawings, and Figure 2 is contained in the Drawings but not listed in the Brief Description of the Drawings in the specification.

In reply, the specification has been amended to be consistent with the Drawings, thereby obviating this inconsistency.

Applicants: Richard Gerardus F. Visser and Jean-Paul Vincken
Serial No.: 10/009,876
Filed: May 6, 2002
Page 5 of 5

CONCLUSIONS


If there are any remaining minor matters preventing issuance of a patent from the subject allowed application, applicants request that the Patent Office telephone the undersigned attorney.

No fee is deemed necessary in connection with the filing of this response. However, if there are unanticipated fees required to maintain the pendency of this application, the Patent Office is authorized to withdraw those fees from Deposit Account 01-1785.

Respectfully submitted,

AMSTER, ROTHSTEIN & EBENSTEIN LLP
Attorneys for Applicants
90 Park Avenue
New York, New York 10016
(212) 336-8000

Dated: October 4, 2006
New York, New York

By 
Alan D. Miller, Reg. No. 42,889